

Swimjets

Endless swimming current


Waterco Swimjets are high performing jets, designed to create an endless resistant current to swim against.

Waterco Swimjets are a flush mounted jet propulsion system capable of creating a current up to 340 litres per minute.




Waterco Swimjets


Waterco Swimjets are high performing jets which is brilliant in swimming pools or swim spas.




Installation

Waterco Swimjets can be installed in any type pool.








Technical Specifications

Material	Swim Jet	Output	Hole Size	Clearance	Installation
White	Nozzle	340lpm @ 100	84mm	165mm	Requires
PVC/ABS	1"	kPa		Behind tub	114mm flat
				wall	area

Warranty

This unit is covered by a 12 month warranty against faulty materials and workmanship. Please refer to the detailed warranty booklet provided.

Dimensions



OFFICES - AUSTRALIA NSW - Sydney (Head Office) Tel: +61 2 9898 8600

QLD - Brisbane Tel: +61 7 3299 9900 VIC/TAS - Melbourne Tel: +61 3 9764 1211 WA - Perth Tel: +61 8 9273 1900 SA/NT - Adelaide Tel: +61 8 8244 6000

ACT Distribution Tel: +61 2 6280 6476

OFFICES - OVERSEAS Waterco (Europe) Limited

Waterco (USA) Inc Augusta, Georgia, USA Tel: +1 706 793 7291

Waterco Canada Longueuil, Quebec, Canada Tel: +1 450 748 1421

Waterco (NZ) Limited Auckland, New Zealand Tel: +64 9 525 7570

Waterco (C) Limited

Waterco (Far East) Sdn Bhd Selangor, Malaysia Tel: +60 3 6145 6000 PT Waterco Indonesia

Jakarta, Indonesia Tel: +62 21 4585 1481 Waterco Singapore Intl Pte Ltd Nehsons Building, Singapore Tel: +65 6344 2378 Waterco France SAINT PRIEST, France Tel: +33 4 72 79 33 30

DISTRIBUTED BY:









Swimjets


Endless swimming current

Waterco Swimjets are high performing jets, designed to create an endless resistant current to swim against.

Waterco Swimjets are a flush mounted jet propulsion system capable of creating a current up to 660 litres per minute.

Features

- 2" (50mm) socket for high water volume
- ½" (12mm) socket for high air input
- Available for fibreglass & concrete installations



Waterco Swimjets

Waterco Swimjets are a flush mounted jet propulsion system capable of creating a current up to 660 litres per minute and are brilliant in swimming pools or swim spas. Available for either fibreglass with white or grey colours or concrete installtions in white.

Installation

Head Loss (m) Waterco Swimjets can be installed in any type of pool. 0.5 **Standard Installations Options** 0 100 300 400 500 600 700 Flow (lpm) **Swim Spa** Configuration Wate Level . **1-6"** 102 **-** 152mm **Dimensions** 162mm Outside: 27mm Inside: 21mm Outside: 68mm 147mm

2.5

2

1.5

Technical Specifications

Standard Installation Technical Specifications	Maximum Flow Rates	Quantity
Waterco Swim Jet White/Grey Water Inlet 50mm/2" Air Throttle 13mm/½" Water Outlet/Jet Orifice 38mm/1½"	660lpm	x 1
Waterco 50mm Suction Fitting	384lpm	x 2
TurboFlo 300 - 50mm ports (1 Phase)	700lpm	x 1

Note: Application per Waterco Swim Jet

Material	Swimjet Nozzle	Air Throttle Socket	Maximum Output
White or Grey PVC/ABS	50mm / 2"	1½"	660lpm

Warranty

This unit is covered by a 12 month warranty against faulty materials and workmanship Please refer to the detailed warranty booklet provided.

13.2mm

Swimjet Head Loss Curve

QLD - Brisbane Tel: +61 7 3299 9900

Tel: +61 3 9764 1211 WA - Perth Tel: +61 8 9273 1900 SA/NT - Adelaide Tel: +61 8 8244 6000

ACT Distribution Tel: +61 2 6280 6476

+1 706 793 7291

Tel: +1 450 748 1421 Waterco (NZ) Limited Auckland, New Zealand Tel: +64 9 525 7570

Selangor, Malaysia Tel: +60 3 6145 6000 PT Waterco Indonesia Tel: +62 21 4585 1481 Waterco Singapore Intl Pte Ltd Nehsons Building, Singapore Tel: +65 6344 2378

Waterco (C) Limited Guangzhou, China Tel: +86 20 3222 2180

Waterco (Far East) Sdn Bhd

DISTRIBUTED BY:





